## Adult maternal body size matters From ARNAUD CHIOLERO<sup>1,2</sup>\*

<sup>1</sup>Institute of Social and Preventive Medicine (IUMSP), University Hospital Center and University of Lausanne, Lausanne, Switzerland and <sup>2</sup>Department of Epidemiology, Biostatistics, and Occupational Health, McGill University, Montreal, QC, Canada

\*Corresponding author. Institute of Social and Preventive Medicine (IUMSP), University Hospital Center, 17 rue du Bugnon, 1005 Lausanne, Switzerland. E-mail: arnaud.chiolero@chuv.ch

Horta *et al.*<sup>1</sup> elegantly demonstrated that maternal, but not paternal, birthweight and weight gain in early childhood may be directly associated with next-generation birthweight.

However, the relative contributions of early and adult body weight (i.e. at the time of conception or during pregnancy) may have been overlooked. It is not clear whether the associations were still observed once adult maternal body weight was accounted for.

Maternal weight is a major determinant of off-spring's birthweight. Pre-pregnancy body mass index and gestational weight gain are both associated with infant birthweight.<sup>2</sup> While offspring's adult body size is strongly determined by both parents' size, maternal weight has greater influence than paternal weight on birthweight.<sup>3</sup> Maternal constraint is a complex regulator of fetal growth and, for instance, uterine and pelvic canal size may themselves determine fetal weight gain.<sup>4–7</sup> Actually, matching fetal growth and maternal size at the time of pregnancy helps the fetus to be delivered vaginally, irrespective of the paternal/fetal genotype.<sup>5</sup> Thus, when the father is of large stature, such a matching is critical to prevent a mother of short stature giving birth to large babies not suited to her uterus size or pelvic dimensions.

Since birth size or early weight gain are directly associated with body size in adulthood, and maybe with uterus size, it may be expected that these factors determine offspring's birthweight. Still, comparing the relative contributions of early body size and adult body size would help assess the importance—if not the existence—of critical periods of maternal growth for the offspring's birthweight. Such information may also help decide the best timing to implement interventions to improve health across generations.

## **Conflict of interest:** None declared.

## References

- <sup>1</sup> Horta BL, Gigante DP, Osmond C, Barros FC, Victora CG. Intergenerational effect of weight gain in childhood on offspring birthweight. *Int J Epidemiol* 2009;**38:**724–32.
- <sup>2</sup> Frederick IO, Williams MA, Sales AE, Martin DP, Killien M. Pre-pregnancy body mass index, gestational weight gain, and other maternal characteristics in relation to infant birth weight. *Matern Child Health J* 2008;**12**:557–67.
- <sup>3</sup> Griffiths LJ, Dezateux C, Cole TJ. Differential parental weight and height contributions to offspring birthweight and weight gain in infancy. *Int J Epidemiol* 2007;**36:**104–7.
- <sup>4</sup> Hanson MA, Godfrey KM. Commentary: maternal constraint is a pre-eminent regulator of fetal growth. *Int J Epidemiol* 2008;**37**:252–54.
- <sup>5</sup> Gluckman PD, Hanson MA. Maternal constraint of fetal growth and its consequences. Semin Fetal Neonatal Med 2004:9:419–25.
- <sup>6</sup> Dunger DB, Petry CJ, Ong KK. Genetics of size at birth. Diabetes Care 2007;30(Suppl 2):S150–55.
- <sup>7</sup> Ounsted M, Scott A, Ounsted C. Transmission through the female line of a mechanism constraining human fetal growth. *Int J Epidemiol* 2008;**37**:245–50.
- <sup>8</sup> Druet C, Ong KK. Early childhood predictors of adult body composition. Best Pract Res Clin Endocrinol Metab 2008;**22**:489–502.
- <sup>9</sup> Ibáñez L, Potau N, Enriquez G, de Zegher F. Reduced uterine and ovarian size in adolescent girls born small for gestational age. *Pediatr Res* 2000;**47**:575–77.

doi:10.1093/ije/dyp375 Advance Access publication 16 January 2010 © The Author 2010; all rights reserved.